

PATENT COOPERATION TREATY



PCT



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

RECEIVED

				0 5 MAR 200
Applicant's or agent's file reference IP/P7014WOD	FOR FURTHER ACTIO	See Notifica Preliminary	ation of Transmittal Examination Repor	WIPO PCT of International: t (Form PCT/IPEA/416)
International application No. PCT/GB 02/05938	International filing date (day)	nonth/year)	Priority date (d	lay/month/year)
International Patent Classification (IPC) o H04R23/00	or both national classification and li	:		
Applicant QINETIQ LIMITED et al.			<u> </u>	<u>. </u>

This international preliminary e Authority and is transmitted to	xamination report has been pre	pared by this li	nternational Prelin	ninary Examining
2. This REPORT consists of a tot	al of 4 sheets, including this co	over sheet.		
☐ This report is also accom	panied by ANNEXES, i.e. shee	ets of the descri	ntion claims and	or drawinge which ha
been amended and are t	ne basis for this report and/or sition 607 of the Administrative I	heets containing	a rectifications ma	de before this Author
These annexes consist of a tot		istructions unde	er me PCT).	· .
mose amende deficiel et a tor	aroro sincolo.	•	•	
This report contains indications Basis of the opinion				
II □ Priority		**	-1 111	
	of opinion with regard to novelt	y, inventive ste	p and industrial a	pplicability
IV Lack of unity of inve				••
V 🖾 Reasoned statemer	nt under Rule 66.2(a)(ii) with re pations supporting such statem	gard to novelty,	inventive step or	industrial applicability
VI Certain documents	• • •	•		
VII Certain defects in the	ne international application			
<u> </u>	s on the international application	on		
			•	
Date of submission of the demand	Dat	e of completion of	f this report	•
19.05.2003	02.	03.2004		
Name and mailing address of the internat preliminary examining authority:	lonal Auti	norized Officer		Sep 10CHE3 MIT
European Patent Office D-80298 Munich	Pat	titpierre, O		
Tel. +49 89 2399 - 0 Tx: 52 Fax: +49 89 2399 - 4465	3636 epmu a	•	0.0000.07.40	
	Tele	phone No. +49 8	9 2399-2748	Cana somo sa

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/GB 02/05938

. .	I.	Ba	sis of the report		
	1.	the	receiving Office in re	ents of the international application (Replacement sheets which have been esponse to an invitation under Article 14 are referred to in this report as "othis report since they do not contain amendments (Rules 70.16 and 70.17).	riginally filed"
		n -		•	
•		Des	scription, Pages		
		1-9	,	as originally filed	-
		Cla	ims, Numbers		
	[.]	1-1	8	received on 07.02.2004 with letter of 03.02.2004	5 / 25 S Land
		Dra	wings, Sheets		
		1/6-	-6/6	as originally filed	
	2.	Wit lan	h regard to the lang u guage in which the in	rage, all the elements marked above were available or furnished to this A ternational application was filed, unless otherwise indicated under this ite	uthority in the m.
		The	ese elements were av	vailable or furnished to this Authority in the following language: , which	is:
			the language of a tra	anslation furnished for the purposes of the international search (under Ru	le 23.1(b)).
			• •	lication of the international application (under Rule 48.3(b)).	
			• • •	anslation furnished for the purposes of international preliminary examinati	on (under
	. 3.	Wit	h regard to any nucl e rnational preliminary	eotide and/or amino acid sequence disclosed in the international application was carried out on the basis of the sequence listing:	ation, the
			contained in the inte	ernational application in written form.	- Andrews St. Communication of the Communication of
			filed together with th	ne international application in computer readable form.	- 15 [†]
			furnished subseque	ntly to this Authority in written form.	• •
			furnished subseque	ntly to this Authority in computer readable form.	
	<u>-</u>	_ 🗆	The statement that in the international a	the subsequently furnished written sequence listing does not go beyond tapplication as filed has been furnished.	ne disclosure
			The statement that the listing has been furn	the information recorded in computer readable form is identical to the writished.	ten sequence
	4.	The	amendments have r	resulted in the cancellation of:	
			the description,	pages:	
			the claims,	Nos.:	
			the drawings,	sheets:	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/GB 02/05938

	(Any replacement sheet con report.)	taining such ame	endments must be referre	ed to under item 1 ar	nd annexed to this
6.	Additional observations, if necess	sary:	•• • • •	•	
v.	Reasoned statement under Art	icle 35(2) with reporting such st	egard-to-novelty , i nven atement	itive-step-or-industr	rial-applicability;
1.	Statement				
,	Novelty (N)	Yes: Claims No: Claims	1-18		
	Inventive step (IS)	Yes: Claims No: Claims	1-18	. •	,
	Industrial applicability (IA)	Yes: Claims No: Claims	1-18		
2.	Citations and explanations				
	see separate sheet		***	·· · ·	•
	•				
	name communicate about the second control of				
			_		

EXAMINATION REPORT - SEPARATE SHEET

Support of the amended claims (Article 34(2)(b) PCT)

The present set of 18 claims is based as follows on the originally filed set of 28 claims:

- present independent claim 1 combines the features of originally filed claims 1
- present dependent claims 3 to 10 correspond to originally filed claims 5 to
- present independent claim 11 combines the features of originally filed claims
- present dependent claims 12 to 17 correspond to originally filed claims 16 to 20 and 23; and
- present independent claim 18 combines the features of originally filed claim 24 with a feature of originally filed claim 2.

2 **Unity of invention (Article 13.1 PCT)**

The essential feature of the invention is the use of a fiber laser as acoustic sensor. This feature is recited in all three independent claims 1, 11, and 18,

Novelty and inventive step (Article 33 PCT) 3

The feature of using a fiber laser is not disclosed or even suggested in any of the prior art documents cited in the International Search Report. Indeed, in all four cited documents, the light emitted by a light source (laser 202 in US-B-6 285 806; light source 88 in US-A-5 367 376; LED 10 in US-A-4 235 113; and light source 10 in US-A-5 363 342) is always modulated in intensity but never in frequency, while the light emitted by radiation source 80 (see-Fig. 3B of present application) is used to pump the individual fiber lasers which in turn emit light modulated in frequency by the acoustic waves.





<u>CLAIMS</u>

- A musical instrument sound detection system comprising: a fibre optic acoustic sensor; a source of electromagnetic radiation optically coupled to said fibre optic acoustic sensor and operable to input electromagnetic radiation to said fibre optic acoustic sensor; and an electromagnetic radiation detector arranged to receive electromagnetic radiation output from said fibre optic acoustic sensor and operable to detect at least one property of said output electromagnetic radiation; wherein 10 said fibre optic acoustic sensor is responsive to sound generated by a musical instrument and is operable to vary said at least one property of said input electromagnetic radiation in response to that sound in order to generate the output electromagnetic radiation, said electromagnetic radiation detector being operable to detect variations in said at least one property of said output electromagnetic radiation 15 indicative of this sound generated by the musical instrument and to produce output signals in response thereto characterised in that said fibre optic acoustic sensor comprises a fibre laser acoustic sensor, comprising an optical fibre doped to provide a doped lasing volume, said fibre having two gratings. provided in said doped volume, said fibre laser acoustic sensor being operable to vary 20 a wavelength of said input electromagnetic radiation in response to the sound from the
- 25 2. A musical instrument sound detection system according to claim 1, wherein said optical fibre is coated with polyurethane.

detect variations in wavelength of said output electromagnetic radiation.

musical instrument, and said electromagnetic radiation detector being operable to-

A musical instrument sound detection system according to any of the preceding
 claims, wherein said fibre optic acoustic sensor comprises attachment means for attachment to a musical instrument.



- 4. A musical instrument sound detection system according to any preceding claim, wherein said musical instrument is a stringed musical instrument.
- 5. A musical instrument sound detection system according to claim 3 or claim 4, wherein said attachment means are for attachment across the sound hole, to the bridge, body, acoustic chamber or the soundboard of said stringed musical instrument.
- 6.—A musical instrument sound detection-system-according to any preceding claim, said system further comprising a plurality of fibre optic acoustic sensors, said plurality of fibre optic sensors being arranged in series such that electromagnetic radiation from said source passes through each of said sensors in turn.
- 7. A musical instrument sound detection system according to claim 6, wherein said plurality of fibre optic acoustic sensors are arranged in series along an optical fibre, the distance between respective sensors being such that individual fibre opticsensors may be arranged on different musical instruments with optical fibre connecting said plurality of sensors.
- 20 8. A musical instrument sound detection system according to any preceding claim, said musical instrument sound detection system further comprising a signal processor operable to process said output signals received from said electromagnetic radiation detector and to produce acoustic signals that are compatible with a conventional amplifier and/or sound recording system therefrom.

25

- 9. A musical instrument having a musical instrument sound detection system according to any one of claims 1 to 5attached thereto, wherein said fibre optic acoustic sensor or sensors are arranged to receive sound generated by said musical instrument.
- 30 10. A musical instrument according to claim 9, wherein said musical instrument is a solid bodied guitar.



11. A method of detecting sound from at least one musical instrument comprising the steps of: ... (i) arranging a fibre optic acoustic sensor to receive sound generated by a musical instrument, the sensor comprising a fibre-laser; (ii) detecting variations in the output wavelength of the fibre-laser. The method of claim 11, wherein step (i) of said method comprises attaching 12. said fibre optic acoustic sensor to said at least one musical instrument. The method of claim 12, wherein said musical instrument is a stringed musical 13. instrument. 14. The method of claim 13, wherein said fibre optic acoustic sensor is attached tothe bridge of said stringed instrument. 15. The method of claim 13, wherein said fibre optic acoustic sensor-is-attached-to-The method of claim 13, wherein said fibre optic acoustic sensor is attached 16. between the sound board and the bridge of said stringed instrument.

10

15

25

- 17. The method of claim 11, said method further comprising the step of:
 (iii) processing said output signals to produce acoustic signals that are compatible with a conventional amplifier and/or sound recording system.
- 30 18. The use of a fibre optic acoustic sensor comprising a fibre-laser within a musical instrument sound detection system to detect the sound generated by at least one musical instrument